

Measles and Pertussis Update

DCHD Epidemiology and Personal Health Divisions

March 27, 2025

Disease Investigation Specialist (DIS)

- Four investigators on the team investigate all reportable diseases except for STI/STD, HIV, and Tuberculosis
- Nurse that investigates Hospital Acquired Infections (HAI)
- Nurse that investigates lead poisoning and Perinatal Hepatitis B





Preventing Measles Through Vaccination

Measles Mumps Rubella (MMR) Vaccine

- Children need 2 doses of MMR vaccines:
- 1st dose at 12-15 months old
- 2nd dose at 4-6 years old
- Older children, adolescents, & adults
- 1 or 2 doses of MMR vaccine if they don't have evidence of immunity.
- If you received the inactivated measles vaccine between 1963 and 1967, you may need a booster. Doses should be separated at least 28 days apart.
- Anyone traveling internationally
- Should be fully vaccinated before traveling Infants 6 – 11 months old need 1 dose of MMR before travel (Then they should get 2 more doses after their first birthday)

One dose of MMR vaccine is:

- 93% effective against measles
- 72% effective against mumps
- 97% effective against rubella

Two doses of MMR vaccine are:

- 97% effective against measles
- 86% effective against mumps



Preventing Pertussis Through Vaccination

- CDC recommends DTaP vaccination for all infants and children younger than 7 years old.
- Administer a 5-dose DTaP series, 1 dose at each of the following ages:
- 2 months
- 4 months
- 6 months
- 15 through 18 months
- 4 through 6 years
- CDC recommends routine Tdap vaccination for all adolescents.
- Administer a single dose of Tdap at 11 to 12 years of age.
- Special considerations
- Immunity to pertussis following Tdap vaccination wanes after a few years.
- No recommendation to administer booster doses to protect again pertussis.
- Adults do need booster doses every 10 years to maintain protection against tetanus and



School-Aged Immunization Initiatives

Vaccines for Children (VFC) Clinics

- Must qualify for VFC (uninsured, underinsured, Alaska Native or Native American)
- Murphy's Giving Market Food Pantry and Resource Center
- Centro de Apoyo Community Center
- Weekly vaccine clinics at Yeadon
- Weekend and evening vaccine clinics at Yeadon
- Monthly vaccine clinics at Chester

Tdap and Meningitis(MCV4) Vaccine Clinics Administered Tdap and/or MCV4 vaccines to 7th and 12th grade students regardless of insurance status

- Yeadon Wellness Center
- Upper Darby High School (after school hours)
- William Penn School District (during school hours)
- Interboro School District (during school hours)



Vaccine Events





